

Wayfarer

@Home



NeckFlex Pillow



Lounge



Tactile Therapy



Escutcheons

Shell Colors



UltraLife Jasper Obsidian Opal Graphite



Tanzanite Moonstone Sunstone Sand

Architectural Trim

ENVIROTECT



Tan Brown Gray



Oak Cherry Cattails

Specifications

Dimensions **83" W x 83" H x 36" H**

Seating **6**

Jets **42 jets**

Electrical **240V, 40A**

NeckFlex Jet Pillows **1**

Water Management **ClearZone (optional)**

Full-Foam Insulation **Standard**

Shadow FX **Optional**

Stereo **Optional**

Features



Pumps



Persons



Jets



NeckFlex Jet Pillow



Lounge



ClearZone (Optional)



Shadow FX (Optional)



DIMENSION ONE SPAS®

www.d1spas.com

Wayfarer Specifications

Dimension One Spas

General	
Shape	Square
Seating Capacity	6
Shell Material	Granitex™ / Acrylic
Dimensions	83" x 83" x 36" H / (211cm x 211cm x 91cm H)
Corner Radii	9" (23cm)
Water Capacity	275 Gallons (1040 Liters)
Dry Weight	688 lbs (312 kg)
Shipping Weight	688 lbs (335 kg)
Full Weight	2978 lbs (1350 kg)
Skirt Material	Synthetic
Poly Floor	Yes





Water System	
Water Treatment System	n/a
Plumbing Systems	3
Filters/Coverage	1 / 75 sq. ft.
Gate Valves	0
Power Storm - Massage	1
Power Storm - Roto	2
Power Storm - Twirl	4
Mini Storm - Directional	4
Mini Storm - Rifled	2
Mini Storm - Roto	2
Mini Storm - Storm II	1
Cluster Storm - Directional	10
Cluster Storm - Pulsator	4
Cluster Storm - Rifled	10
VCR Jet® Mini Directional in NFJ	2
Typhoon Jet	0
Ozone Jet	1
Heater Return Jet	0
Pump Returns	4
Diverter Valve	1
Floor Drain	No
Skimmer	8" Weir

Special Feature	
Dynamic Massage Sequencer w/ Control Panel	n/a
NeckFlex® Jet Pillows	1
Headrest Pillow	2
Stereo System	Optional
Water Feature	Yes
Water Feature Volume Control	Yes
Cup Holder	9
Tactile Therapy	n/a

Pump Information	Domestic (60Hz)	Export (50Hz)
Motor Size – Peak (Continuous) HP	3.6 (2.0) HP	3.6 (2.0) HP
Jet Pumps # of Pumps/Speed	One Dual & One Single	One Dual & One Single
Circulation Pump	No	No
Fountain Pump	No	No
Electrical System	Domestic (60Hz)	Export (50Hz)
Voltage	240	240
Amperage	30/40	1x16 / 2x16 / 1x32
Heater	4.0 KW	2.0 KW
Thermostat	Electronic	Electronic
Light	Multi Color LED	Multi Color LED
Control System	SSPA-1-D13	SSPA-1-D13-CE
Upper Control	Programmable Digital	Programmable Digital
Auxiliary Upper Control	No	No

Note: 1. Subject to change without notice.

Wayfarer Architectural Specification



2. Engineering specs may differ slightly from brochure.
3. For E-Z lifter installation allow 18" (45.7 cm) clearances on the backside of the spa.
4. Alternative cabinets may add significant weight. Ask your dealer for exact details.

Caution:
Due to manufacturing tolerances there could be some minor differences between the actual spa and the drawing above. If site planning is critical to such tolerances, be sure to measure your actual spa.